



THERMA TRU[®]
DOORS



Entry & Patio Door Systems

Home begins at the door.





Therma-Tru. You're in expert hands.

2

Welcome to Therma-Tru, the most preferred brand of exterior doors. Year after year, building professionals rank Therma-Tru #1 – as the brand they use most – in entry doors.* It's a reputation built on more than 50 years of experience and technical know-how. Therma-Tru introduced the world to fiberglass doors and continues to make door systems that are held to high standards for quality and performance.

That's where the beauty of choosing Therma-Tru begins.

Why Therma-Tru® Fiberglass Doors?

Your Therma-Tru fiberglass door system delivers beauty, long-lasting performance and durability.

Beautiful

- Offers endless choices in door styles and handcrafted decorative glass designs.
- Gives the authentic look and feel of real wood.

Low-Maintenance

- Built from a material that won't dent or rust, nor will it warp, split crack or rot.
- Requires less work than wood or steel to keep your door looking "new" longer.**

Energy-Efficient

- Solid polyurethane foam core provides up to four times the insulating R-Value of wood.***
- Most decorative and privacy glass features triple-pane construction for exceptional thermal and acoustical barrier.

Durable & Secure

- Provides homes with weather resistance and security, as well as long-lasting curb appeal.



LIMITED
LIFETIME
WARRANTY

Contributes to an energy-efficient home and is backed by a limited lifetime warranty.

*Brand Use Studies, 2012 *Builder* and 2010 *Remodeling* magazines.

**Visit www.thermatru.com for maintenance and refinishing guidelines.

***Comparison of fiberglass to wood doors (both without glass).

****Not available on certain configurations.

NOTE: See your Therma-Tru representative or visit www.thermatru.com for details on warranties and ENERGY STAR® qualified products.

Top: Classic-Craft Rustic Collection, Augustine. Glass, Doors – CCR804037



Classic-Craft® American Style Collection™ CCA232 with CCA3402SL sidelites and VGRT transom, Villager™ glass, black nickel caming using Cedar stain

Therma-Tru® doors deliver years of trouble-free performance.

- 1 Brickmould** – Decorative moulding used to finish the exterior face of a wood frame.
- 2 Tempered Glass** – Heat-treated for added safety and strength. Two-layered design sandwiches the decorative glass and helps protect it.
- 3 Caming** – Handcrafted metal that helps decorative glass styles take shape.
- 4 Doorlites** – Decorative or clear glass assemblies fitted into the door.
- 5 Sidelites** – Fixed assemblies attached adjacent to the door jamb.
- 6 Transom** – The decorative or clear glass above the door jamb.
- 7 Door Jamb** – The structure that encloses and supports the entire door assembly.
- 8 Hinges** – The metal plates on the door and door jamb on which the door swings.
- 9 Panel** – Embossed or recessed, the decorative section of a door that produces deep shadow lines.

- 10 Sill** – The horizontal bottom frame of a door.
- 11 Weatherstrip** – The seal along the edge of the door jamb to help keep out air and water infiltrations.
- 12 Kerfed Door Bottom** – Attached at the bottom of the door to help prevent air and water infiltrations.
- 13 Multi-Point Locking System** – Optional upgrade that adds greater security by securing the door to the frame in three places.

Polyurethane Foam Core (not shown) – Inside the door panel, offers up to four times the energy efficiency of wood.***

Adjustable Security Strike Plate** (not shown)** – Wraps around the door jamb and helps to protect your home from forced entry.

Engineered Door Stiles (not shown) – Provides increased structural integrity.

Solid Wood Lock Block (not shown) – Provides added strength and security to lockset and deadbolt areas.

Door System Components

We offer a complete door system solution with components designed to work together to provide security, energy efficiency and reduced air and water infiltration for longer-lasting, higher-performing entryways.



1 Brickmould & Jamb
Brickmould and jamb are available that are made of durable rot-resistant material to prevent warping, twisting and rotting.



2 Mullions
Mullions are available with a rot-resistant coating on the ends to help prevent moisture-related rot and insect damage. Surface machines, sands and finishes like wood.



3 Hinges
A variety of hinges are available, including heavy-duty hinges with ball bearings between each hinge pivot, or "knuckle," to provide more support, stability and smoother performance. Recommended for Classic-Craft doors and doors with glass.



4 Multi-Point Locking Systems (MPLS)
Stainless-steel, 3-point locking tongue systems provide durability, weather resistance and security. Highly recommended for 8'0" door installations.



5 Weatherstrip ✦
Removable foam-filled compression weatherstrip remains flexible and helps seal against moisture and air infiltration.



6 Corner Seal Pads ✦
Options include the 7-shaped corner seal pad that completes our patented jamb assembly, which creates an air pocket to help prevent moisture and air infiltration.



7 Bottom Sweeps ✦
Available bottom sweeps include a dual-bulb design that works with the weatherstrip and corner seal pad to complement the performance of the sill on inswing systems, helping to prevent moisture and air infiltration.



8 Sills ✦
A variety of sills are available, including a composite adjustable sill that allows for an air-tight seal with the door bottom to prevent moisture damage on inswing applications. Natural-looking composite material won't rot, warp or split.



Additional components not shown here:



Strike Plates



Astragals ✦



Rain Protection ✦



Sill Pans ✦

Tru-Defense: The Ultimate Protection

Therma-Tru fiberglass entryways are available with our exclusive Tru-Defense system, which integrates specific components engineered and tested to deliver outstanding protection in all kinds of weather conditions. The Tru-Defense system is backed by a warranty rider for homeowner peace of mind. The rider provides for cash reimbursement that may be used toward product or component replacement, secondary damage to flooring and trim, and the labor to make repairs if water infiltration occurs.*

Water Infiltration Cash Reimbursement Limit

Latch and Deadbolt Lock with Standard Assembly: with a Therma-Tru Sill Pan:	\$250 \$500
Multi-Point Lock with Standard Assembly: with a Therma-Tru Sill Pan:	\$750 \$1,500

*For complete details on the Tru-Defense Warranty Rider, visit www.thermatru.com/trudefense. The rider provides for cash reimbursement in the event water infiltration occurs as the result of product or component failure caused by defects in the door system. Therma-Tru is not responsible for the assembly and installation of the components of Tru-Defense door systems.

Door Collections

The beauty of a Therma-Tru® door is easy to see, no matter how you look at it. What makes our doors even more beautiful? Choice. Wood-grained, stainable or smooth, paintable surfaces. A world of inspired glass designs. Entry or patio doors. Fiberglass or steel.

Classic-Craft® Collections

Here's a premium entryway that can truly express your personal style. Whether rustic, classic or contemporary, you'll find a Classic-Craft premium entryway that fits beautifully with your personal style and home.

LIMITED
LIFETIME
WARRANTY




Our Classic-Craft collections are rated a *Consumers Digest* Best Buy for its exceptional warranty, quality of materials and construction, and resemblance to a real wood door.

Fiber-Classic® Collections

The industry's first fiberglass door delivers the look and feel of real Mahogany and Oak with excellent performance and value.

LIMITED
LIFETIME
WARRANTY



Smooth-Star®

Crisp lines and high-definition embossments define this smooth, ready-to-paint door.

LIMITED
LIFETIME
WARRANTY



Steel

Bring style, safety and affordability together with our steel door collections.



Note: Colors may vary from an actual application due to fluctuations in staining or the printing process of this catalog. See your Therma-Tru representative or visit www.thermatru.com for details on warranties.

American Style Collection.

Mahogany Collection.



LIMITED LIFETIME WARRANTY



LIMITED LIFETIME WARRANTY



Canvas Collection.



LIMITED LIFETIME WARRANTY



LIMITED LIFETIME WARRANTY




Rustic Collection.



LIMITED LIFETIME WARRANTY



Oak Collection.



Black Nickel
Villager™
 Glass Privacy Rating: **5**



Black Nickel
Homeward™
 Glass Privacy Rating: **4**



Black Nickel
Arcadia™
 Glass Privacy Rating: **5**



Wrought Iron
Augustine®
 Glass Privacy Rating: **10**



Black Nickel
Ashurst™
 Glass Privacy Rating: **8**



Bronze Waterglass / Black Nickel
Bella™
 Glass Privacy Rating: **6**



Black Nickel
Provincial™
 Glass Privacy Rating: **6**



Black Nickel
Longford™
 Glass Privacy Rating: **8**



Brushed Nickel
Cambridge™
 Glass Privacy Rating: **8**



Privacy Glass


Chord Glass (XC) **10**

Chinchilla Glass (XJ) **10**

Rainglass (XR) **8**

Granite Glass (XN) **10**

Glass Privacy Rating Scale



Flush-Glazed Glass

Glass built directly into the door during the manufacturing process eliminates the need for a lite frame and provides a superior performance seal.

Also Available: Grilles, Low-E Glass, Solid Panel

NOTE: Augustine. glass images show exterior side of door. Colors may vary from an actual application due to fluctuations in staining or the printing process of this catalog. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to handcrafting and size of glass. See your Thermo-Tru representative or visit www.thermatru.com for details on glass privacy ratings, designs, warranties, and ENERGY STAR® qualified products.

Offers rich, warm wood tones in authentic Honduran Mahogany, especially suited for European, Victorian and Colonial homes.



Classic-Craft[®]

Mahogany Collection[™]

NOTE:
For complete selection of all Therma-Tru[®] products and options please visit www.thermatru.com or ask for a Full-Line Catalog.



CCM103
Size: 3'0"
Longford. Glass



CCM603
Size: 3'0"
Longford. Glass



CCM703
Size: 3'0"
Longford. Glass



CCM803
Size: 3'0"
Longford. Glass



CCM3403SL
12", 14"
Longford. Glass



LF30T (3'0" DOOR ONLY)
Longford. Glass



LFRT (12", 14")
CONTINUOUS SILL SYSTEMS ONLY
Longford. Glass



LFET (12", 14")
CONTINUOUS SILL SYSTEMS ONLY
Longford. Glass



CCM105
Size: 3'0"
Ashurst. Glass



CCM605
Size: 3'0"
Ashurst. Glass




CCM705
Size: 3'0"
Ashurst. Glass



CCM805
Size: 3'0"
Ashurst. Glass



CCM3405SL
12", 14"
Ashurst. Glass



AS30T (3'0" DOOR ONLY)
Ashurst. Glass



ASRT (12", 14")
CONTINUOUS SILL SYSTEMS ONLY
Ashurst. Glass



ASET (12", 14")
CONTINUOUS SILL SYSTEMS ONLY
Ashurst. Glass



CCM100
Size: 3'0"



CCM600
Size: 3'0"



CCM700
Size: 3'0"



CCM800
Size: 3'0"



CCM3400SL
12", 14"



CCM60
Size: 3'0"



CCM701
Size: 3'0"



CCM801
Size: 3'0"



19200T (3'0" DOOR ONLY)
NON-STOCK ITEM



19220T (12", 14")
CONTINUOUS SILL SYSTEMS ONLY
NON-STOCK ITEM



19020T (12", 14")
CONTINUOUS SILL SYSTEMS ONLY
NON-STOCK ITEM

Features warm, White Oak wood grains for the look of classic Oak, suitable for homes with traditional styling.



Classic-Craft®

Oak Collection™



NOTE:
For complete selection of all Therma-Tru® products and options please visit www.thermatru.com or ask for a Full-Line Catalog.



CC107
Size: 3'0"
Provincial. Glass
❖ ❖ ❖



CC97
Size: 3'0"
Provincial. Glass
❖ ❖ ❖



CC77
Size: 3'0"
Provincial. Glass
❖ ❖ ❖



CC17
Size: 3'0"
Provincial. Glass
❖ ❖ ❖



CC2040SL
Size: 12", 14"
Provincial. Glass ❖ ❖ ❖



CC400T (3'0" DOOR ONLY)
Provincial. Glass ❖ ❖ ❖ ❖ **NON-STOCK ITEM**



CC420T (12", 14")
CONTINUOUS SILL SYSTEMS ONLY
Provincial. Glass ❖ ❖ ❖ ❖ **NON-STOCK ITEM**



CC040T (12", 14")
CONTINUOUS SILL SYSTEMS ONLY
Provincial. Glass ❖ ❖ ❖ ❖ **NON-STOCK ITEM**



CC106
Size: 3'0"
Cambridge. Glass ❖ ❖ ❖



CC44
Size: 3'0"
Cambridge. Glass ❖ ❖ ❖



CC76
Size: 3'0"
Cambridge. Glass ❖ ❖ ❖



CC16
Size: 3'0"
Cambridge. Glass ❖ ❖ ❖



CC2044SL
Size: 12", 14"
Cambridge. Glass ❖ ❖ ❖



CC900T (3'0" DOOR ONLY)
Cambridge. Glass ❖ ❖ ❖ **NON-STOCK ITEM**



CC920T (12", 14")
CONTINUOUS SILL SYSTEMS ONLY
Cambridge. Glass ❖ ❖ ❖ **NON-STOCK ITEM**



CC090T (12", 14")
CONTINUOUS SILL SYSTEMS ONLY
Cambridge. Glass ❖ ❖ ❖ **NON-STOCK ITEM**



CC49
Size: 3'0"
❖ ❖



CC60
Size: 3'0"



CC11
Size: 3'0"



CC2025SL
Size: 12", 14"
❖ ❖



19200T (3'0" DOOR ONLY)
❖ ❖ ❖ **NON-STOCK ITEM**



19220T (12", 14")
CONTINUOUS SILL SYSTEMS ONLY
❖ ❖ ❖ **NON-STOCK ITEM**



19020T (12", 14")
CONTINUOUS SILL SYSTEMS ONLY
❖ ❖ ❖ **NON-STOCK ITEM**



19200T (3'0" DOOR ONLY)
❖ ❖ ❖ **NON-STOCK ITEM**



19220T (12", 14")
CONTINUOUS SILL SYSTEMS ONLY
❖ ❖ ❖ **NON-STOCK ITEM**



19020T (RG) (12", 14")
CONTINUOUS SILL SYSTEMS ONLY
❖ ❖ ❖ **NON-STOCK ITEM**

Features + Options Key

- ❖ Brass Caming (A)
- ❖ Brushed Nickel Caming (C)
- ❖ Black Nickel Caming (D)
- ☀ Low-E Glass (LE)
- Removable Wood Grilles (RG)

NOTE: Colors may vary from an actual application due to fluctuations in staining or the printing process of this catalog. Glass designs may differ from depiction due to handcrafting and size of glass. See your Therma-Tru representative or visit www.thermatru.com for details on glass designs, warranties, and ENERGY STAR® qualified products.

Features high-definition vertical Douglas Fir grain with Craftsman styling, ideal for homes with an Arts and Crafts flair.



Classic-Craft[®]

American Style Collection™



CCA211
Size: 3'0"
Homeward₂ Glass



CCA221
Size: 3'0"
Homeward₂ Glass



CCA231
Size: 3'0"
Homeward₂ Glass



CCA3401SL
12", 14"
Homeward₂ Glass



CCA211SL
12", 14"
Homeward₂ Glass



HW30T (3'0" DOOR ONLY)
Homeward₂ Glass



HWRT (12", 14")
CONTINUOUS SILL SYSTEMS ONLY
Homeward₂ Glass

NOTE:
For complete selection of all Therma-Tru_® products and options please visit www.thermatru.com or ask for a Full-Line Catalog.



CCA210
Size: 3'0"



CCA220
Size: 3'0"



CCA230
Size: 3'0"



CCA240
Size: 3'0"



CCA260
Size: 3'0"



CCA3400SL
12", 14"



CCA3450SL
12", 14"



CCA210SL
12", 14"



CCA220SL
12", 14"



19200T (3'0" DOOR ONLY)
NON-STOCK ITEM



19220T (12", 14")
CONTINUOUS SILL SYSTEMS ONLY
NON-STOCK ITEM

Features + Options Key

- Brushed Nickel Caming (C)
- ◆ Black Nickel Caming (D)
- ★ Low-E Glass (LE)
- ✕ Wrought Iron (W)
- External Lite Dividers (ELD)

Dentil Shelf Options

Available option for all American Style Collection doors.



4-Block Dentil Shelf*



16-Block Dentil Shelf*

Privacy Glass

The first style number listed under each image matches the privacy glass option shown.
XR = Rainglass
XN = Granite Glass

*Not recommended for placement behind storm doors. NOTE: Augustine_® glass images show exterior side of door. Colors may vary from an actual application due to fluctuations in staining or the printing process of this catalog. Glass designs may differ from depiction due to handcrafting and size of glass. See your Therma-Tru representative or visit www.thermatru.com for details on glass designs, warranties, and ENERGY STAR[®] qualified products.

Seamlessly blends Southwestern and Tuscan styling with rustic wood grains to evoke Old World charm.



Classic-Craft[®]

Rustic Collection[™]



CCR04037
Size: 3'0"
Augustine. Glass ✕



CCR20037
Size: 3'0"
Augustine. Glass ✕



CCR20537
Size: 3'0"
Augustine. Glass ✕



CCR040
Size: 3'0"



CCR200
Size: 3'0"



CCR205
Size: 3'0"



CCR3400SL
12", 14"
★



CCR3400XNSL
12", 14"
Granite Glass




CCR3400XRSL
12", 14"
Rainglass

NOTE:

For complete selection of all Therma-Tru[®] products and options please visit www.thermatru.com or ask for a Full-Line Catalog.

Clavos and Strap Hinge



Create a sleek, modern entryway with a smooth paintable surface for virtually unlimited color options both inside and out.



Classic-Craft®

Canvas Collection.



CCV912
Size: 3'0"
Villager. Glass
◆ ◆



CCV922
Size: 3'0"
Villager. Glass
◆ ◆ ◆



CCV932
Size: 3'0"
Villager. Glass
◆ ◆ ◆



CCV912SL
Size: 12", 14"
Villager. Glass
◆ ◆



CCV9012SL
Size: 12", 14"
Villager. Glass
◆ ◆



CCV10029
Size: 3'0"
Arcadia. Glass ◆ ◆ ◆ ◆



CCV911
Size: 3'0"
Homeward. Glass
◆ ◆



CCV921
Size: 3'0"
Homeward. Glass
◆ ◆ ◆



CCV931
Size: 3'0"
Homeward. Glass
◆ ◆ ◆



CCV911SL
Size: 12", 14"
Homeward. Glass
◆ ◆



CCV9011SL
Size: 12", 14"
Homeward. Glass
◆ ◆



CCV10025
Size: 3'0"
Ashurst. Glass ◆ ◆



CCV10024B
Size: 3'0"
Bella. Glass ◆ ◆



CCV05024B
Size: 3'0"
Bella. Glass ◆ ◆



CCV10028
Size: 3'0"
Provincial. Glass
◆ ◆ ◆ ◆



CCV05028
Size: 3'0"
Provincial. Glass
◆ ◆ ◆ ◆



CCV20537
Size: 3'0"
Augustine. Glass ✕



CCV10026
Size: 3'0"
Cambridge. Glass ❖ ❖



CCV10023
Size: 3'0"
Longford. Glass ❖ ❖



CCV050
Size: 3'0"
Solid Panel



CCV205
Size: 3'0"
Solid Panel



CCV220
Size: 3'0"
Solid Panel



CCV060
Size: 3'0"
Solid Panel



CCV910
Size: 3'0"
Clear Glass *



CCV920
Size: 3'0"
Clear Glass * ❖



CCV930
Size: 3'0"
Clear Glass * ❖



CCV940
Size: 3'0"
Clear Glass * ❖



CCV960
Size: 3'0"
Clear Glass * ❖



CCV100SL
12", 14"
Clear Glass *



CCV950SL
12", 14"
Clear Glass * ❖



CCV9010SL
12", 14"
Clear Glass *



CCV9020SL
12", 14"
Clear Glass * ❖



CCV910XJ
CCV910XR
CCV910XC
CCV910XN
Size: 3'0"
Privacy Glass



CCV920XR
CCV920XC
CCV920XJ
CCV920XN
Size: 3'0"
Privacy Glass



CCV930XN
CCV930XC
CCV930XJ
CCV930XR
Size: 3'0"
Privacy Glass



CCV940XC
CCV940XJ
CCV940XR
CCV940XN
Size: 3'0"
Privacy Glass



CCV960XJ
CCV960XC
CCV960XR
CCV960XN
Size: 3'0"
Privacy Glass



CCV100XRSL
CCV100XC
CCV100XJSL
CCV100XNSL
Size: 12", 14"
Privacy Glass



CCV950XNSL
CCV950XC
CCV950XJSL
CCV950XRSL
Size: 12", 14"
Privacy Glass



CCV910XCNSL
CCV910XJSL
CCV910XRSL
CCV910XNSL
Size: 12", 14"
Privacy Glass



CCV920XJSL
CCV920XCNSL
CCV920XRSL
CCV920XNSL
Size: 12", 14"
Privacy Glass

Features + Options Key

- ❖ Brass Caming (A)
- ❖ Brushed Nickel Caming (C)
- ❖ Black Nickel Caming (D)
- ❖ External Lite Dividers (ELD)
- ❖ Bronze Waterglass / Brushed Nickel Caming (B-1C)
- ❖ Bronze Waterglass / Black Nickel Caming (B-1D)
- ❖ Wrought Iron (W)
- ☀ Low-E Glass (LE)

Dentil Shelf Options

Available option for all Craftsman-style Canvas Collection doors.



4-Block Dentil Shelf*

Privacy Glass

The first style number listed under each image matches the privacy glass option shown.

- XC = Chord Glass
- XJ = Chinchilla Glass
- XR = Rainglass
- XN = Granite Glass

*Not recommended for placement behind storm doors. NOTE: Augustine. glass images show exterior side of door. Colors may vary from an actual application due to fluctuations in staining or the printing process of this catalog. Glass designs may differ from depiction due to handcrafting and size of glass. See your Therma-Tru representative or visit www.thermatru.com for details on glass designs, warranties and ENERGY STAR® qualified products.

Fiber-Classic®

The door that started the fiberglass revolution, Fiber-Classic® has stood the test of time graciously and elegantly. With the Mahogany Collection®, you get a trendy style that reflects the move to darker, richer wood tones found in today's home interiors. The Oak Collection® captures the distinctive craftsmanship of natural Oak to match any home's architectural style. With both, you can customize your entryway with doors that embody deep, wood-grain detailing and up to 5 decorative glass options and 4 privacy glass families, as well as clear and clear Low-E glass. Best yet – like all Therma-Tru® fiberglass doors – they are more durable than wood and steel and backed by a limited lifetime warranty for years of low-maintenance performance, safety and security.



On Mahogany



On Oak



Smooth-Star®

Sometimes you just want something smooth. Smooth-Star® is the answer if you are looking for all the benefits of a fiberglass door in a sleek, paintable package. A more durable alternative to steel, our Smooth-Star® door is strong enough to take anything life throws at it without the side effects of dings, dents or rust. Their crisp, clean profile in combination with 5 decorative glass options and 4 privacy glass families, as well as clear and clear Low-E glass, makes it easy to customize your entryway. All are backed with a limited lifetime warranty. And, you'll never have to second guess when it comes to the safety of your family because our Smooth-Star® doors received the highest level possible in the industry's toughest forced entry test.*



NOTE: Colors may vary from an actual application due to fluctuations in staining or the printing process of this catalog. Glass designs may differ from depiction due to handcrafting and size of glass. See your Therma-Tru representative or visit www.thermatru.com for details on glass designs, warranties and ENERGY STAR® qualified products. *Tested to ASTM F-476 Section 18 Grade 40. Doors tested with three loads of 300 lbs per AAMA 1304. Must include full TT system components.




Fiber-Classic®, Smooth-Star®, & Steel



Brushed Nickel Black Nickel
Blackstone
Glass Privacy Rating: **7**



Brushed Nickel Black Nickel
Saratoga
Glass Privacy Rating: **7**



Brass Black Nickel
Brushed Nickel
Wellesley
Glass Privacy Rating: **6**



Brass Black Nickel
Brushed Nickel
Concorde
Glass Privacy Rating: **8**



Brass
Crystal Diamonds
Glass Privacy Rating: **9**



Privacy Glass

Chord Glass (XC) **10**

Chinchilla Glass (XJ) **10**

Rainglass (XR) **8**

Granite Glass (XN) **10**



Internal Blinds
Glass Privacy Rating: **1**



Also Available: Grilles, Low-E, Clear and Solid Panel.



Blackstone®

Available in ■ Brushed Nickel and ◆ Black Nickel



Glass Privacy Rating Scale



FC108
Size: 2'8", 3'0"
FIBER-CLASSIC. ■ ◆



FC109
Size: 2'8", 3'0"
FIBER-CLASSIC. ■ ◆



FC164
Size: 2'8", 3'0"
FIBER-CLASSIC. ■ ◆



FC129
Size: 2'8", 3'0"
FIBER-CLASSIC. ■ ◆



FC108SL
12", 14"
FIBER-CLASSIC. ■ ◆



BSRT (12")
CONTINUOUS SILL SYSTEMS ONLY
FIBER-CLASSIC. ■ ◆ **NON-STOCK ITEM**

NOTE:
For complete selection of all Thermo-Tru. products and options please visit www.thermatru.com or ask for a Full-Line Catalog.



S6002
Size: 3'0"
SMOOTH-STAR. ■ ◆



S6000
Size: 2'8", 3'0"
SMOOTH-STAR. ■ ◆



S6085
Size: 2'8", 3'0"
SMOOTH-STAR. ■ ◆



S6013
Size: 2'8", 3'0"
SMOOTH-STAR. ■ ◆



S6002SL
12", 14"
SMOOTH-STAR. ■ ◆



BSRT (12")
CONTINUOUS SILL SYSTEMS ONLY
SMOOTH-STAR. ■ ◆ **NON-STOCK ITEM**



TS310
Size: 2'8", 3'0"
TRADITIONS. ■ ◆



TS309
Size: 2'8", 3'0"
TRADITIONS. ■ ◆



TS311
Size: 2'8", 3'0"
TRADITIONS. ■ ◆



310SL
10", 12", 14"
TRADITIONS. ■ ◆



BSRT (12")
CONTINUOUS SILL SYSTEMS ONLY
TRADITIONS. ■ ◆ **NON-STOCK ITEM**

NOTE: Colors may vary from an actual application due to fluctuations in staining or the printing process of this catalog. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to handcrafting and size of glass. See your Thermo-Tru representative or visit www.thermatru.com for details on glass designs and ENERGY STAR® qualified products.



Saratoga™

Available in ■■ Brushed Nickel and ◆ Black Nickel



Glass Privacy Rating Scale



FC905
Size: 2'8", 3'0"
FIBER-CLASSIC. ■■ ◆

FC906
Size: 2'8", 3'0"
FIBER-CLASSIC. ■■ ◆

FC907
Size: 2'8", 3'0"
FIBER-CLASSIC. ■■ ◆

FC909
Size: 2'8", 3'0"
FIBER-CLASSIC. ■■ ◆

FC905SL
12", 14"
FIBER-CLASSIC.
■■ ◆



19750T (12", 14")
CONTINUOUS/BOXED SILL SYSTEMS
FIBER-CLASSIC. ■■ ◆ **NON-STOCK ITEM**



19740T (3'0" DOOR ONLY)
FIBER-CLASSIC. ■■ ◆ **NON-STOCK ITEM**

NOTE:
For complete selection of all Thermo-Tru. products and options please visit www.thermatru.com or ask for a Full-Line Catalog.



S154
Size: 2'8", 3'0"
SMOOTH-STAR. ■■ ◆

S213
Size: 2'8", 3'0"
SMOOTH-STAR. ■■ ◆

S6092
Size: 2'8", 3'0"
SMOOTH-STAR. ■■ ◆

S20
Size: 2'8", 3'0"
SMOOTH-STAR. ■■ ◆

S154SL
12", 14"
SMOOTH-STAR.
■■ ◆



19750T (12", 14")
CONTINUOUS/BOXED SILL SYSTEMS
SMOOTH-STAR. ■■ ◆ **NON-STOCK ITEM**



19740T (3'0" DOOR ONLY)
SMOOTH-STAR. ■■ ◆ **NON-STOCK ITEM**




TS610
Size: 2'8", 3'0"
TRADITIONS ■■ ◆

TS613
Size: 2'8", 3'0"
TRADITIONS ■■ ◆

610SL
10", 12", 14"
TRADITIONS ■■ ◆



19750T (12", 14")
CONTINUOUS/BOXED SILL SYSTEMS
TRADITIONS ■■ ◆ **NON-STOCK ITEM**



19740T (3'0" DOOR ONLY)
TRADITIONS ■■ ◆ **NON-STOCK ITEM**



Wellesley™

Available in  Brass,  Brushed Nickel and  Black Nickel



Glass Privacy Rating Scale



FC104
Size: 2'8", 3'0"
FIBER-CLASSIC.   

FC105
Size: 2'8", 3'0"
FIBER-CLASSIC.   

FC163
Size: 2'8", 3'0"
FIBER-CLASSIC.   

FC125
Size: 2'8", 3'0"
FIBER-CLASSIC.   

FC104SL
12", 14"
FIBER-CLASSIC.   



19720T (3'0" DOOR ONLY)
FIBER-CLASSIC.    **NON-STOCK ITEM**



19730T (12")
CONTINUOUS SILL SYSTEMS ONLY
FIBER-CLASSIC.    **NON-STOCK ITEM**

NOTE:
For complete selection of all Thermo-Tru® products and options please visit www.thermatru.com or ask for a Full-Line Catalog.



S155
Size: 3'0"
SMOOTH-STAR.   

S214
Size: 2'8", 3'0"
SMOOTH-STAR.   

S6082
Size: 2'8", 3'0"
SMOOTH-STAR.   

S6117
Size: 2'8", 3'0"
SMOOTH-STAR.   

S155SL
12", 14"
SMOOTH-STAR.   



19720T (3'0" DOOR ONLY)
SMOOTH-STAR.    **NON-STOCK ITEM**



19730T (12")
CONTINUOUS SILL SYSTEMS ONLY
SMOOTH-STAR.    **NON-STOCK ITEM**



TS620
Size: 2'8", 3'0"
TRADITIONS   

TS623
Size: 2'8", 3'0"
TRADITIONS   

620SL
10", 12", 14"
TRADITIONS   



19720T (3'0" DOOR ONLY)
TRADITIONS    **NON-STOCK ITEM**



19730T (12")
CONTINUOUS SILL SYSTEMS ONLY
TRADITIONS    **NON-STOCK ITEM**



NOTE: Colors may vary from an actual application due to fluctuations in staining or the printing process of this catalog. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to handcrafting and size of glass. See your Thermo-Tru representative or visit www.thermatru.com for details on glass designs and ENERGY STAR® qualified products.

Concorde™

Available in ❖ Brass, ❑ Brushed Nickel and ❖ Black Nickel



Glass Privacy Rating Scale



FC910
Size: 2'8", 3'0"
FIBER-CLASSIC.

❖ ❑ ❖



FC911
Size: 2'8", 3'0"
FIBER-CLASSIC.

❖ ❑ ❖



FC917
Size: 2'8", 3'0"
FIBER-CLASSIC.

❖ ❑ ❖



FC914
Size: 2'8", 3'0"
FIBER-CLASSIC.

❖ ❑ ❖



FC910SL
12", 14"
FIBER-CLASSIC.

❖ ❑ ❖



CNRT (12", 14")
CONTINUOUS/BOXED SILL SYSTEMS
FIBER-CLASSIC. ❖ ❑ ❖ **NON-STOCK ITEM**



S6090
Size: 2'8", 3'0"
SMOOTH-STAR.

❖ ❑ ❖



S426
Size: 2'8", 3'0"
SMOOTH-STAR.

❖ ❑ ❖



S454
Size: 2'8", 3'0"
SMOOTH-STAR.

❖ ❑ ❖



S17
Size: 2'8", 3'0"
SMOOTH-STAR.

❖ ❑ ❖



S416SL
12", 14"
SMOOTH-STAR.

❖ ❑ ❖



CNRT (12", 14")
CONTINUOUS/BOXED SILL SYSTEMS
SMOOTH-STAR. ❖ ❑ ❖ **NON-STOCK ITEM**



TS1028
Size: 2'8", 3'0"
TRADITIONS ❖ ❑ ❖



TS426
Size: 2'8", 3'0"
TRADITIONS ❖ ❑ ❖



TS454
Size: 2'8", 3'0"
TRADITIONS ❖ ❑ ❖



416SL
12", 14"
TRADITIONS
❖ ❑ ❖



CNRT (12", 14")
CONTINUOUS/BOXED SILL SYSTEMS
TRADITIONS ❖ ❑ ❖ **NON-STOCK ITEM**

NOTE:

For complete selection of all Therma-Tru® products and options please visit www.thermatru.com or ask for a Full-Line Catalog.

Crystal Diamonds™

Available in ❖ Brass



Glass Privacy Rating Scale



FC757
Size: 2'8", 3'0"
FIBER-CLASSIC. ❖



FC759
Size: 2'8", 3'0"
FIBER-CLASSIC. ❖



FC786
Size: 2'8", 3'0"
FIBER-CLASSIC. ❖



FC805
Size: 2'8", 3'0"
FIBER-CLASSIC. ❖



FC757SL
12", 14"
FIBER-CLASSIC.
❖



S716
Size: 2'8", 3'0"
SMOOTH-STAR. ❖



S726
Size: 2'8", 3'0"
SMOOTH-STAR. ❖



S6083
Size: 2'8", 3'0"
SMOOTH-STAR. ❖



S754
Size: 2'8", 3'0"
SMOOTH-STAR. ❖



S716SL
12", 14"
SMOOTH-STAR. ❖



TS716
Size: 2'8", 3'0"
TRADITIONS. ❖



TS726
Size: 2'8", 3'0"
TRADITIONS. ❖



TS754
Size: 2'8", 3'0"
TRADITIONS. ❖



716SL
10", 12", 14"
TRADITIONS. ❖

NOTE:
For complete selection
of all Therma-Tru. products
and options please visit
www.thermatru.com or ask
for a Full-Line Catalog.




Internal Blinds / Clear & Low-E

Choose white internal blinds that tilt open and close, or those that raise and lower as well as tilt open and close.



Glass Privacy Rating Scale



										
FC10 Size: 2'8", 3'0" FIBER-CLASSIC.	FC62 Size: 2'8", 3'0" FIBER-CLASSIC.	FC47SL 12", 14" FIBER-CLASSIC.	FC48SL 12", 14" FIBER-CLASSIC.	FC141* Size: 2'8", 3'0" FIBER-CLASSIC. Raise & Tilt IN STOCK	FC140* Size: 2'8", 3'0" FIBER-CLASSIC. Raise & Tilt IN STOCK	FC141SL* 12", 14" FIBER-CLASSIC. Raise & Tilt IN STOCK	FC140SL* 12", 14" FIBER-CLASSIC. Raise & Tilt IN STOCK	19210T (12", 14" SIDELITE ONLY) FIBER-CLASSIC.	19200T (3'0" DOOR ONLY) FIBER-CLASSIC.	19220T/19230T (12", 14") CONTINUOUS/BOXED SILL SYSTEMS FIBER-CLASSIC.
										
S118 Size: 2'8", 3'0" SMOOTH-STAR.	S206 Size: 2'8", 3'0" SMOOTH-STAR.	S100SL 12", 14" SMOOTH-STAR.	S210SL 12", 14" SMOOTH-STAR.	S130* Size: 2'8", 3'0" SMOOTH-STAR. Raise & Tilt IN STOCK	S132* Size: 2'8", 3'0" SMOOTH-STAR. Raise & Tilt IN STOCK	S130SL* 12", 14" SMOOTH-STAR. Raise & Tilt IN STOCK	S132SL* 12", 14" SMOOTH-STAR. Raise & Tilt IN STOCK	19210T (12", 14" SIDELITE ONLY) SMOOTH-STAR.	19200T (3'0" DOOR ONLY) SMOOTH-STAR.	19220T/19230T (12", 14") CONTINUOUS/BOXED SILL SYSTEMS SMOOTH-STAR.
										
TS118 Size: 2'8", 3'0" TRADITIONS	TS206 Size: 2'8", 3'0" TRADITIONS	T00SL 10", 12", 14" TRADITIONS	TS210SL 12", 14" TRADITIONS	TS130* Size: 2'8", 3'0" TRADITIONS Raise & Tilt IN STOCK	TS132* Size: 2'8", 3'0" TRADITIONS Raise & Tilt IN STOCK	T00SL* 12", 14" TRADITIONS Raise & Tilt IN STOCK	TS132SL* 12", 14" TRADITIONS Raise & Tilt IN STOCK	19210T (12", 14" SIDELITE ONLY) TRADITIONS	19200T (3'0" DOOR ONLY) TRADITIONS	19220T/19230T (12", 14") CONTINUOUS/BOXED SILL SYSTEMS TRADITIONS

LOW-E GLASS IS AVAILABLE SPECIAL ORDER. *Low-E NOT available with blinds.

NOTE: Colors may vary from an actual application due to fluctuations in staining or the printing process of this catalog. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to handcrafting and size of glass. See your Therma-Tru representative or visit www.thermatru.com for details on glass designs and ENERGY STAR® qualified products.

Chord
Privacy Rating: 10

Chinchilla
Privacy Rating: 10

Rainglass
Privacy Rating: 8

Granite
Privacy Rating: 10

Privacy Glass




Glass Privacy Rating Scale



For consumers who want it all – natural light, elegant designs and privacy – our privacy glass collection is the perfect solution.

The four designs are universal to virtually every one of our doors and sidelites, delivering a portfolio of privacy glass that’s unmatched in the industry.

This translates into a flexible assortment that’s an affordable alternative to clear glass and opaque doors.





FC10XJ
FC10XC
FC10XR
FC10XN
Size: 2'8", 3'0"

FC62XJ
FC62XC
FC62XR
FC62XN
Size: 2'8", 3'0"

FC803XJ
FC803XC
FC803XR
FC803XN
Size: 2'8", 3'0"

FC47XJSL
FC47XCSSL
FC47XRSL
FC47XNSL
12", 14"



S118XJ
S118XC
S118XR
S118XN
Size: 2'8", 3'0"

S206XJ
S206XC
S206XR
S206XN
Size: 2'8", 3'0"

S256XJ
S256XC
S256XR
S256XN
Size: 2'8", 3'0"

S100XJSL
S100XCSSL
S100XRSL
S100XNSL
12", 14"



Privacy Glass

The first style number listed under each image matches the privacy glass option shown.

- XC = Chord Glass**
- XJ = Chinchilla Glass**
- XR = Rainglass**
- XN = Granite Glass**

NOTE: Colors may vary from an actual application due to fluctuations in staining or the printing process of this catalog. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. See your Therma-Tru representative or visit www.thermatru.com for details on glass privacy ratings and ENERGY STAR® qualified products.

Clear Glass with Grilles

Low-E glass is available special order.



Glass Privacy Rating Scale



FC18
Size: 2'8", 3'0"
FIBER-CLASSIC.



FC65
Size: 2'8", 3'0"
FIBER-CLASSIC.



FC23
Size: 2'8", 3'0"
FIBER-CLASSIC.



FC18SL
12", 14"
FIBER-CLASSIC.



FC63SL
12", 14"
FIBER-CLASSIC.



19400T (3'0" DOOR ONLY)
GRILLE STICKS APPLIED
FIBER-CLASSIC.



19420T/19430T (12", 14") (GRILLE STICKS APPLIED) CONTINUOUS SILL SYSTEMS ONLY
FIBER-CLASSIC.



19020T (12") CONTINUOUS SILL SYSTEMS ONLY (14") CONTINUOUS/BOXED SILL SYSTEMS
FIBER-CLASSIC.



S108
Size: 2'8", 3'0"
SMOOTH-STAR.



S262
Size: 2'8", 3'0"
SMOOTH-STAR.



S255
Size: 2'8", 3'0"
SMOOTH-STAR.



S296
Size: 2'8", 3'0"
SMOOTH-STAR.



S632SL
12", 14"
SMOOTH-STAR.



S263SL
12", 14"
SMOOTH-STAR.



19400T (3'0" DOOR ONLY)
GRILLE STICKS APPLIED
SMOOTH-STAR.



19420T/19430T (12", 14") (GRILLE STICKS APPLIED) CONTINUOUS SILL SYSTEMS ONLY
SMOOTH-STAR.



19020T (12") CONTINUOUS SILL SYSTEMS ONLY (14") CONTINUOUS/BOXED SILL SYSTEMS
SMOOTH-STAR.



TS108
Size: 2'8", 3'0"
TRADITIONS



TS262
Size: 2'8", 3'0"
TRADITIONS



TS255
Size: 2'8", 3'0"
TRADITIONS



TS296
Size: 2'8", 3'0"
TRADITIONS



TS632SL
10", 12", 14"
TRADITIONS



TS263SL
12", 14"
TRADITIONS



19400T (3'0" DOOR ONLY)
GRILLE STICKS APPLIED
TRADITIONS



19420T/19430T (12", 14") (GRILLE STICKS APPLIED) CONTINUOUS SILL SYSTEMS ONLY
TRADITIONS



19020T (RG) (12") CONTINUOUS SILL SYSTEMS ONLY (14") CONTINUOUS/BOXED SILL SYSTEMS
TRADITIONS



NOTE:

For complete selection of all Therma-Tru. products and options please visit www.thermatru.com or ask for a Full-Line Catalog.

Solid Panel

Fiber-Classic, Smooth-Star and Steel



FC134
Size: 2'8", 3'0"
FIBER-CLASSIC.



FC31
Size: 2'8", 3'0"
FIBER-CLASSIC.




FC60
Size: 2'8", 3'0"
FIBER-CLASSIC.



S210
Size: 2'8", 3'0"
SMOOTH-STAR.



S200
Size: 2'8", 3'0"
SMOOTH-STAR.



S11
Size: 2'8", 3'0"
SMOOTH-STAR.



S600
Size: 2'8", 3'0"
SMOOTH-STAR.



S220
Size: 2'8", 3'0"
SMOOTH-STAR.



S205
Size: 2'8", 3'0"
SMOOTH-STAR.



S93
Size: 2'8", 3'0"
SMOOTH-STAR.



S960
Size: 2'8", 3'0"
SMOOTH-STAR.

NOTE:
Fire Doors available
in select styles,
see salesperson for
styles, sizes and fire
ratings.

For complete
selection of all
Therma-Tru® products
and options please visit
www.thermatru.com or
ask for a Full-Line
catalog.



S601
Size: 2'8", 3'0"
SMOOTH-STAR.



S605
Size: 2'8", 3'0"
SMOOTH-STAR.



S606
Size: 2'8", 3'0"
SMOOTH-STAR.



S607
Size: 2'8", 3'0"
SMOOTH-STAR.



S608
Size: 2'8", 3'0"
SMOOTH-STAR.



TS210
Size: 2'8", 3'0"
TRADITIONS

Features + Options Key

External Lite Dividers (ELD)

Dentil Shelf

Available option on
Craftsman-style doors.



Smooth-Star. 4-Block*
Available for S600, S601, S605,
S606, S607, S608 only.

NOTE: Colors may vary from an actual application due to fluctuations in staining or the printing process of this catalog. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to handcrafting and size of glass. See your Therma-Tru representative or visit www.thermatru.com for details on glass designs and ENERGY STAR® qualified products.

Our Storm Door Features:

Whether you prefer a traditional, contemporary, elegant, or informal look, there is a Seal-Rite style and color that's just right for you. Years of testing and product refinement have gone into the development of the Seal-Rite Storm door. For strength and beauty no other storm door comes close. Here are some key features that make our storm door stand apart from the competition!

1 Heliarc-Welded Corners

Our **Heliarc-Welded Corners** are the foundation of every Seal-Rite Storm Door. Unlike conventional doors with screw-type corners, Seal-Rite's corners are the strongest spots on the door, giving you maximum strength and durability.



2 Interlocking Hinge System



Our **Exclusive Interlocking-Hinge System** is "guaranteed not to fail!" Our four-hinge tubular design interlocks into the door frame. It eliminates any tendency of the door to pull away from the frame, which traditional hinges don't prevent. Bronze bushings, held in place with heavy steel pins, provide extra durability. This hinge system is so strong that it has been tested to withstand **over 600 lbs of torque and the door still swings without binding!** Above you can see the "Hinge Killer" test!

3 Brush-Type Weather Seal

Our **Brush-Type, Adjustable-Bottom Weather Seal** is similar to the type of weather seal found on many commercial doors. With its non-shrink design, it won't bind, twist or tear as most traditional vinyl sweeps do. It costs us a little more, but it's worth it!



4 Wind Strap Our Fold-Back Wind Strap

replaces the bother-some, noisy chains found on most doors.



5 Door Screen Tension Clips Our Door Screen Tension Clips

Our **Door Screen Tension Clips**

provide all the strength needed to keep your screen from bowing and getting baggy. Most competitors use screen bars across the center of the door which results in an obstructed view!



6 Mortise Lock Our Mortise Lock

offers superior strength and security. Our **Mortise Lock** is offered in Brass and Satin Nickel finishes.



7 Adjustable Hydraulic Closer Our Adjustable Hydraulic Closer

will provide you with many years of smooth, non-jarring closing action. Most other products are air closers that often times run out of air before the door is fully closed.



Available Styles:



**Clear Glass
100**



**Clear Glass
108**



**Clear Glass
120**



**Clear Glass
140**



**Clear Glass
220**



**Self-Storing
220**



**Self-Storing
21-SS**



**Self-Storing
21-SS08**

Color Options



Finishing Touches

All Seal-Rite Storm Doors come with durable, lock-able handles. We also offer a variety of optional handles for a customized, distinctive look.

Our mortised mechanism offers superior strength and security. Our **Mortise Lock** is offered in Brass and Satin Nickel.



Pull Handle is offered in Brass, Antique Brass, Satin Nickel and Oil Rubbed Bronze




Curly Lever is offered in Black Chrome, White, Brass, Satin Nickel and Oil Rubbed Bronze




How to order your patio door

1. Select a handing (As viewed from exterior)


French Double Door Units




RH Active Inswing



LH Active Inswing




LH Active Outswing




RH Active Outswing


Hinged Patio Door Units




RH Center Hinge Inswing




LH Center Hinge Inswing




RH Jamb Hinge Inswing




LH Jamb Hinge Inswing




LH Center Hinge Outswing



RH Center Hinge Outswing



LH Jamb Hinge Outswing



RH Jamb Hinge Outswing

*For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect entry unit from exposure. Multi-point locking systems are highly recommended for double door applications.

2. Select a glass type

Clear Low-E



Clear



Clear Low-E

External Grilles
(Fiber Classic Only)

Clear

External Grilles
(Fiber Classic Only)

Clear Low-E



GBG

Clear



GBG

Internal Blinds



Raise & Tilt

NOTE:

For complete selection of all Therma-Tru® products and options please visit www.thermatru.com or ask for a Full-Line catalog.

3. Select a door category



Fiber-Classic® Fiberglass Hinged Patio Door Systems

You want the very best for your home. We proudly present Fiber-Classic – our premium fiberglass hinged patio door system featuring a natural oak grain without any of the drawbacks of wood like cracking, splitting, or warping. Its rugged exterior resists dents, dings and damage with exceptional durability. Adjustable sill and Low-E glass are just a few of the standard features. The full system is backed by a lifetime limited warranty.



Smooth-Star® Fiberglass Hinged Patio Door Systems

Is a smooth painted look more your style? A Smooth-Star hinged patio door system offers a smooth surface with crisp stile and rail lines like a painted wood door. The durable fiberglass surface provides the strength of steel that resists dings and dents. Smooth-Star hinged patio doors feature an adjustable composite sill and Low-E glass, making these units virtually trouble-free and energy-efficient. The full system is backed by a limited lifetime warranty.










Steel Hinged Patio Door Systems


Get into the swing of the hard working steel hinged patio system at an attractive value. Therma-Tru's system design assures years of smooth operation. The Steel Hinged Patio Door System offers a limited 5-year warranty.

Paint Options

Paint can be applied to Classic-Craft, Fiber-Classic, Smooth-Star, and Traditions Steel. Stain is for Classic-Craft and Fiber-Classic only.


							
Glacier White SW1911	FAWhite/Extra White SW7006	Super White SW6995	Downy SW7002	Antique Parchment SW1130	Adobe Cream SW1360	Maple SW1143	Natural Linen SW7035
							
Monterey Sand SW2032	Window Beige SW7448	Vintage Wicker SW6150	Normadic Desert SW6107	Practical Beige SW6100	Colonial Ivory SW6120	Tuscan Clay SW2029	FASandstone SW0024
							
London Brown SW2042	French Roast SW6069	FAMaroon SW7594	FAWineberry SW1287	Hearthrob SW6866	Rock Garden SW6195	FAForest Green SW2259	Jasper SW6216
					<p>NOTE: Colors may vary from an actual application due to fluctuations in staining or the printing process of this sheet.</p>  <p>Coordinating coil clad colors.</p>		
FAWedgewood Blue SW2272	Regatta SW6517	Naval SW6244	Cape Cod Gray SW2850	FABlack SW2126			
							
Cherry Stain	English Walnut Stain	Light Oak Stain	Mahogany Stain	Natural Oak Stain	Cedar Stain	Walnut Stain	

Coil Clad Door Jambs



- Aluminum trim coil with a PVC coating
- Protects exterior door jamb from weather
- Available in 18 stock colors
- Less maintenance than a painted or stained wood jamb

Frontline® Deluxe Clad System



NOTE:
White and Sandstone are stocked.

Additional colors available by special order.

Rot Proof Jambs

Optional Rot-Resistant jambs prevent moisture and insect damage to door frames.

Rot-Proof Primed-

Finger-jointed Alaskan Cypress ends prevent moisture from wicking into the frame and are easily sanded and finished.

Full Composite-

Choose from a Smooth or Woodgrain Texture featuring a closed Cellular Structure to ensure the frame will not absorb or wick moisture, and prevents warping rotting and splitting. Twice the Screw holding power of traditional wood frames.



The Limited-Lifetime Warranty on both rot-proof jambs pairs well with the Therma-Tru system warranty.

Real Security. That lasts a lifetime.

Seal-Rite is proud to sell Schlage products. Schlage's rich heritage in residential and commercial security can be found in every product they make. When you safeguard your home and family with Schlage, you ensure security as well as peace of mind. With Schlage, you benefit from nearly a century of total dedication to security, quality and innovation.

Exterior Options

Available in the following finishes:

605 Bright Brass	609 Antique Brass
619 Satin Nickel	716 Aged Bronze

Standard single cylinder deadbolt

Electronic Keypad Deadbolt
(Satin Nickel, 619)

Keyed Georgian Knob
(Satin Nickel, 619)

Keyed Flair and Accent Levers
(Satin Nickel, 619)

Handlesets in the following styles:
Plymouth, Addison and Camelot
(Satin Nickel, 619)



Interior Options

Available in the following finishes:

605 Bright Brass	609 Antique Brass
619 Satin Nickel	716 Aged Bronze

Thumbturn and Accent lever - Interior Handleset
(Satin Nickel, 619)

Thumbturn and Georgian knob - Interior Handleset
(Satin Nickel, 619)

Thumbturn and Flair lever - Interior Handleset
(Satin Nickel, 619)

Plymouth and Georgian knobs in the passage function
(Satin Nickel, 619)

Flair and Accent levers in the passage function
(Satin Nickel, 619)

Real Security Sets You Free™
www.schlage.com



Multi-Point Locking Systems*

Multi-point locking systems (MPLS) engage the door frame at three critical points, enhancing security and stability. Choose from the tongue version for single-door systems and single-hinged patio door systems, or the shootbolt version for French-door systems. Highly recommended for Classic-Craft and Fiber-Classic. 8'0" and double-door applications.



Tongue
Finish Color:
Stainless Steel



Shootbolt
Finish Color:
Stainless Steel

Handleset Options for Standard MPLS



Heirloom
Wide Back (Active Shown)
Narrow Back (Inactive Shown)



Venture
Wide Back (Active Shown)
Narrow Back (Inactive Shown)



Millennium
Wide Back (Active Shown)
Narrow Back (Inactive Shown)



Ara
Wide Back (Active Shown)
Narrow Back (Inactive Shown)





Decade
Wide Back (Active Shown)
Narrow Back (Inactive Shown)

Finish Options



Entry Handing



*Multi-point locking system is available by special order. Please allow 3-5 weeks for shipping.
Note: Colors may vary from an actual application due to fluctuations in the printing process of this catalog.

Inswing Door System				
Description	Size	Actual Unit Size	Rough Opening	Brick Opening
Single Door Unit	2'0"	25 1/2" X 81 5/8"	26 1/4" X 82"	28 1/4" X 83"
	2'6"	31 1/2" X 81 5/8"	32 1/4" X 82"	34 1/4" X 83"
	2'8"	33 1/2" X 81 5/8"	34 1/4" X 82"	36 1/4" X 83"
	2'10"	35 1/2" X 81 5/8"	36 1/4" X 82"	38 1/4" X 83"
	3'0"	37 1/2" X 81 5/8"	38 1/4" X 82"	40 1/4" X 83"
	3'6"	43 1/2" X 81 5/8"	44 1/4" X 82"	46 1/4" X 83"
Double Door Unit	5'0"	62 1/4" X 81 5/8"	63" X 82"	65" X 83"
	5'4"	66 1/4" X 81 5/8"	67" X 82"	69" X 83"
	6'0"	74 1/4" X 81 5/8"	75" X 82"	77" X 83"

Door with Boxed Sidelite(s) System - Inswing				
Description	Size	Actual Unit Size	Rough Opening	Brick Opening
W/(1) 12" Sidelite	2'8"	47" X 81 5/8"	47 3/4" X 82"	49 3/4" X 83"
	3'0"	51" X 81 5/8"	51 3/4" X 82"	53 3/4" X 83"
W/(1) 14" Sidelite	2'8"	49" X 81 5/8"	49 3/4" X 82"	51 3/4" X 83"
	3'0"	53" X 81 5/8"	53 3/4" X 82"	55 3/4" X 83"
W/(2) 12" Sidelite	2'8"	60 1/2" X 81 5/8"	61 1/4" X 82"	63 1/4" X 83"
	3'0"	64 1/2" X 81 5/8"	65 1/4" X 82"	67 1/4" X 83"
W/(2) 14" Sidelite	2'8"	64 1/2" X 81 5/8"	65 1/4" X 82"	67 1/4" X 83"
	3'0"	68 1/2" X 81 5/8"	69 1/4" X 82"	71 1/4" X 83"

Door & Sidelite(s) with Continuous System - Inswing				
Description	Size	Actual Unit Size	Rough Opening	Brick Opening
W/(1) 12" Sidelite	3'0"	50 1/2" X 81 5/8"	51 1/4" X 82"	53 1/4" X 83"
W/(1) 14" Sidelite	3'0"	52 1/2" X 81 5/8"	53 1/4" X 82"	55 1/4" X 83"
W/(2) 12" Sidelite	3'0"	63 1/2" X 81 5/8"	64 1/4" X 82"	66 1/4" X 83"
W/(2) 14" Sidelite	3'0"	67 1/2" X 81 5/8"	68 1/4" X 82"	70 1/4" X 83"

Eight Foot Door System - Inswing				
Description	Size	Actual Unit Size	Rough Opening	Brick Opening
Single Door Unit	2'0"	25 1/2" X 97 5/8"	26 1/4" X 98"	28 1/4" X 99"
	2'6"	31 1/2" X 97 5/8"	32 1/4" X 98"	34 1/4" X 99"
	2'8"	33 1/2" X 97 5/8"	34 1/4" X 98"	36 1/4" X 99"
	2'10"	35 1/2" X 97 5/8"	36 1/4" X 98"	38 1/4" X 99"
	3'0"	37 1/2" X 97 5/8"	38 1/4" X 98"	40 1/4" X 99"
	3'6"	43 1/2" X 97 5/8"	44 1/4" X 98"	46 1/4" X 99"
Double Door Unit	5'0"	62 1/4" X 97 5/8"	63" X 98"	65" X 99"
	5'4"	66 1/4" X 97 5/8"	67" X 98"	69" X 99"
	6'0"	74 1/4" X 97 5/8"	75" X 98"	77" X 99"
Note: Outswing height dimensions		97"	97 1/2"	98 3/4"

Transoms
 Transom finishes and brickmould available to match door frames in primed pine or premium wood. All transoms are 13 1/2" in height except half rounds.

Outswing Door System with Outswing Sill				
Description	Size	Actual Unit Size	Rough Opening	Brick Opening
Single Door Unit	2'0"	25 1/2" X 81"	26 1/4" X 81 1/2"	28 3/4" X 82 3/4"
	2'6"	31 1/2" X 81"	32 1/4" X 81 1/2"	34 3/4" X 82 3/4"
	2'8"	33 1/2" X 81"	34 1/4" X 81 1/2"	36 3/4" X 82 3/4"
	2'10"	35 1/2" X 81"	36 1/4" X 81 1/2"	38 3/4" X 82 3/4"
	3'0"	37 1/2" X 81"	38 1/4" X 81 1/2"	40 3/4" X 82 3/4"
	3'6"	43 1/2" X 81"	44 1/4" X 81 1/2"	46 3/4" X 82 3/4"
Double Door Unit	5'0"	62 1/4" X 81"	63" X 81 1/2"	65 1/2" X 82 3/4"
	5'4"	66 1/4" X 81"	67" X 81 1/2"	69 1/2" X 82 3/4"
	6'0"	74 1/4" X 81"	75" X 81 1/2"	77 1/2" X 82 3/4"

Patio Doors - Grained & Smooth Fiberglass				
Replacement Height 6'6"				
Description	Unit Width (Panel Size)	Actual Unit Size	Rough Opening	Brick Opening
Two Panel (w/ mullion) Inswing	5'0" (2'6")	62 1/2" X 79 1/4"	63 1/4" X 79 3/4"	65 1/4" X 80 3/4"
	5'8" (2'10")	70 1/2" X 79 1/4"	71 1/4" X 79 3/4"	73 1/4" X 80 3/4"
	6'0" (3'0")	74 1/2" X 79 1/4"	75 1/4" X 79 3/4"	77 1/4" X 80 3/4"
Two Panel (w/ mullion) Outswing	5'0" (2'6")	62 1/2" X 78 5/8"	63 1/4" X 79"	65 3/4" X 80 1/4"
	5'8" (2'10")	70 1/2" X 78 5/8"	71 1/4" X 79"	73 3/4" X 80 1/4"
	6'0" (3'0")	74 1/2" X 78 5/8"	75 1/4" X 79"	77 3/4" X 80 1/4"
Two Panel (w/ astragal) Inswing	5'0" (2'6")	62 1/4" X 79 1/4"	63" X 79 3/4"	65" X 80 3/4"
	5'8" (2'10")	70 1/4" X 79 1/4"	71" X 79 3/4"	73" X 80 3/4"
	6'0" (3'0")	74 1/4" X 79 1/4"	75" X 79 3/4"	77" X 80 3/4"
Two Panel (w/ astragal) Outswing	5'0" (2'6")	62 1/4" X 78 5/8"	63" X 79"	65 1/2" X 80 1/4"
	5'8" (2'10")	70 1/4" X 78 5/8"	71" X 79"	73 1/2" X 80 1/4"
	6'0" (3'0")	74 1/4" X 78 5/8"	75" X 79"	77 1/2" X 80 1/4"

Patio Doors - Grained & Smooth Fiberglass				
Full Height 6'8"				
Description	Unit Width (Panel Size)	Actual Unit Size	Rough Opening	Brick Opening
Two Panel (w/ mullion) Inswing	5'0" (2'6")	62 1/2" X 81 5/8"	63 1/4" X 82"	65 1/4" X 83"
	5'8" (2'10")	70 1/2" X 81 5/8"	71 1/4" X 82"	73 1/4" X 83"
	6'0" (3'0")	74 1/2" X 81 5/8"	75 1/4" X 82"	77 1/4" X 83"
Two Panel (w/ mullion) Outswing	5'0" (2'6")	62 1/2" X 81"	63 1/4" X 81 1/2"	65 3/4" X 82 3/4"
	5'8" (2'10")	70 1/2" X 81"	71 1/4" X 81 1/2"	73 3/4" X 82 3/4"
	6'0" (3'0")	74 1/2" X 81"	75 1/4" X 81 1/2"	77 3/4" X 82 3/4"
Two Panel (w/ astragal) Inswing	5'0" (2'6")	62 1/4" X 81 5/8"	63" X 82"	65" X 83"
	5'8" (2'10")	70 1/4" X 81 5/8"	71" X 82"	73" X 83"
	6'0" (3'0")	74 1/4" X 81 5/8"	75" X 82"	77" X 83"
Two Panel (w/ astragal) Outswing	5'0" (2'6")	62 1/4" X 81"	63" X 81 1/2"	66 1/2" X 82 3/4"
	5'8" (2'10")	70 1/4" X 81"	71" X 81 1/2"	73 1/2" X 82 3/4"
	6'0" (3'0")	74 1/4" X 81"	75" X 81 1/2"	77 1/2" X 82 3/4"

Storm Door Dimensional Data - 82RO Height				
Entry Door Width	Storm Unit Width	Storm Unit Height	MIN -MAX Width	MIN -MAX Height
2'0"	24"	80"	23 3/4" - 24 3/4"	79 3/4" - 80 3/4"
2'6"	30"	80"	29 3/4" - 30 3/4"	79 3/4" - 80 3/4"
2'8"	32"	80"	31 3/4" - 32 3/4"	79 3/4" - 80 3/4"
2'10"	34"	80"	33 3/4" - 34 3/4"	79 3/4" - 80 3/4"
3'0"	36"	80"	35 3/4" - 36 3/4"	79 3/4" - 80 3/4"
3'6"	42"	80"	41 3/4" - 42 3/4"	79 3/4" - 80 3/4"

About Us

For more than three decades, Seal-Rite has been passionate about creating ways to Add Value... Our goal is to continue to find ways to respond with: "Yes, we can." Our passion and dedication is ever present in all of our value-added products and services we offer today.



Whether it is a single door, large project or the most complex custom order, Seal-Rite has the people, knowledge, and unequaled abilities to service your needs. We carry one of the largest inventories of Therma-Tru® products and pre-finish more doors than most other companies in the industry, combined. We can even complete the entire entry package with our high-quality Storm Doors and Schlage Locks. All of which is available online 24/7 through our state-of-the-art Seal-Rite Product Configurator/Pricing Tool.

All of us at Seal-Rite continue to build on our passion, and we offer our customers the knowledge, abilities and confidence of over 30-years of dedication to Adding-Value...



Custom Hardwood Frames (shown in mahogany)




Custom Finishing (paint or stain)




Custom Cladding



Aluminum Coil Cladding



Hand Staining and Feathering



Quality Assurance



Before



After

Increase Curb Appeal and Value

We all want to get the most out of every dollar we spend, and installing an attractive new front entryway is a cost-effective way to improve your home's curb appeal and perceived value. In fact, a study conducted by an independent research company found that a home with an enhanced Therma-Tru® entry door system added to its perceived value by as much as five times the cost of the door itself.*

Fiber-Classic, Oak Collection™, Wellesley™, Glass, Door – FC125, Sidelites – FC104SL, Transom – 19730T

Need More Help to Visualize?

Use our *Build Your Door* interactive design tool at www.thermatru.com to help you visualize the possible door combinations.



*Therma-Tru's "National Home Valuation Study" was commissioned by Therma-Tru in 2002 and conducted by TNS, an independent provider of internet-based research and research-based marketing information and counsel.

©2013 Therma-Tru Corp. All rights reserved. THERMA-TRU and the Therma-Tru Logo are trademarks of Therma-Tru Corp. Registered trademarks are registered in the U.S. and may be registered internationally. All trademarks are the property of their respective owners. Therma-Tru Corp. is an operating company of Fortune Brands Home & Security, Inc. The Best Buy Seal and other licensed materials are registered certification marks and trademarks of Consumers Digest Communications, LLC, used under license. For award information, visit ConsumersDigest.com. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency. MET13.6491 08/13